## **Amendment To The Claims**

 (Currently Amended) A method for affecting the growth of Staphylococcus aureus, said method comprising the step of:

contacting an environment containing S. aureus with a compound selected from the group consisting of hexahydro beta acids, hexahydro beta salts, tetrahydroiso alpha acids, and tetrahydroiso alpha salts, in an amount effective to kill, inhibit, or otherwise control the growth or proliferation of S. aureus without preventing the growth of Lactobacillus at a pH in the range of 4.5 to 5.0, wherein the compound is placed in contact with the environment as a topical application and wherein the concentration of the compound is in the range of from about 0.2 ppm to about 25 ppm.

# 2. (Cancelled)

- 3. (Original) The method of claim 1, wherein the compound is placed in contact with the S. aureus environment using a product comprising of an absorbent material and the compound.
- 4. (Original) The method of claim 3, wherein the absorbent material is selected from the group consisting of a natural fiber, a synthetic fiber, a film, a foam, a wood, a pulp, a peat moss, and a superabsorbent polymer.

- 5. (Original) The method of claim 3, wherein the product is selected from the group consisting of a tampon, wound dressing, suppository, disposable diaper, and sanitary napkin.
- 6. (Original) The method of claim 1, wherein the compound is placed in contact with the S. aureus environment using a composition comprising of a pharmaceutically acceptable carrier and the compound.
- 7. (Original) The method of claim 6, wherein the compound is either a douche or a topical ointment.
- 8. (Original) The method of claim 1, wherein the compound is placed in contact with the S. aureus environment using a barrier contraceptive.

#### 9-11. (Cancelled)

12. (Currently Amended) A product comprising an absorbent material, and a compound selected from the group consisting of hexahydro beta acids, hexahydro beta salts, tetrahydroiso alpha acids, and tetrahydroiso alpha salts, in an amount effective to kill, inhibit, or otherwise control the growth or proliferation of S. aureus without preventing the growth of Lactobacillus at a pH in the range of 4.5 to 5.0 wherein the concentration of the compound is in the range of from about 0.2 ppm to about 25 ppm.

## 13. (Cancelled)

- 14. (Original) The product of claim 12, wherein the absorbent material is selected from the group consisting of a natural fiber, a synthetic fiber, a film, a foam, a wood, a pulp, a peat moss, and a superabsorbent polymer.
- 15. (Currently Amended) A method for affecting the growth of Staphylococcus aureus in the vaginal area, said method comprising the step of:

contacting the vaginal area with a compound selected from the group consisting of hexahydro beta acids, hexahydro beta salts, tetrahydroiso alpha acids, and tetrahydroiso alpha salts, in an amount effective to kill, inhibit, or otherwise control the growth or proliferation of S. aureus without preventing the growth of Lactobacillus <u>at a pH in the range of 4.5 to 5.0</u> wherein the concentration of the compound is in the range of from about 0.2 ppm to about 25 ppm.

## 16. (Cancelled)

17. (Previously Presented) The method of claim 15, wherein the compound is placed in contact with the vaginal area using a product comprising of an absorbent material and the compound.

- 18. (Previously Presented) The method of claim 17, wherein the absorbent material is selected from the group consisting of a natural fiber, a synthetic fiber, a film, a foam, a wood, a pulp, a peat moss, and a superabsorbent polymer.
- 19. (Previously Presented) The method of claim 17, wherein the product is selected from the group consisting of a tampon, suppository, disposable diaper, and sanitary napkin.
- 20. (Previously Presented) The method of claim 15, wherein the compound is placed in contact with the vaginal area using a composition comprising of a pharmaceutically acceptable carrier and the compound.
- 21. (Previously Presented) The method of claim 20, wherein the compound is either a douche or a topical ointment.
- 22. (Previously Presented) The method of claim 15, wherein the compound is placed in contact with the vaginal area using a barrier contraceptive.
- 23. (Currently Amended) A product for affecting the growth of Staphylococcus aureus in the vaginal area, the product comprising an absorbent material, and a compound selected from the group consisting of hexahydro beta acids, hexahydro beta salts, tetrahydroiso alpha acids, and tetrahydroiso alpha salts, in an amount effective to kill, inhibit, or otherwise control the growth or proliferation of S. aureus in the vaginal

area without preventing the growth of Lactobacillus <u>at a pH in the range of 4.5 to 5.0</u> wherein the concentration of the compound is in the range of from about 0.2 ppm to about 25 ppm.

- 24. (Cancelled)
- 25. (Previously Presented) The product of claim 23, wherein the absorbent material is selected from the group consisting of a natural fiber, a synthetic fiber, a film, a foam, a wood, a pulp, a peat moss, and a superabsorbent polymer.